

In the Claims

The status of claims in the case is as follows:

1 1. [Original] A method for creating documents from within
2 a place in collaboration space, comprising the steps of:

3 operating a browser to display a user interface to said
4 place including an editor selection control;

5 from within said browser, upon user selection of said
6 editor selection control, automatically launching a
7 corresponding editor for editing said document; and

8 upon closing said corresponding editor, loading said
9 document to said place.

1 2. [Original] A method for creating an application
2 enabled object in a place in collaboration space, comprising
3 the steps of:

4 providing at a browser a user interface to said place,

5 said user interface including an upload control;
6 executing round trip editing to prepare a data file;
7 loading said data file to said upload control; and
8 upon loading said data file to said upload control,
9 transferring said data file to a server for conversion
10 and storage as said application enabled object in said
11 place.

1 3. [Canceled]

1 4. [Original] The method of claim 2, said round trip
2 editing further comprising the steps of:

3 creating said data file using an editor application
4 independently of said place in collaboration space;

5 importing said data file into said place;

6 responsive to user selection at said user interface,

7 loading said data file from said place to said
8 browser;

9 launching said editor application; and

10 opening said data file in said editor application
11 for further editing at said browser.

1 5. [Original] The method of claim 2, said round trip
2 editing further comprising the steps of:

3 creating said data file at said interface to said
4 place;

5 designating the content of said data file as of an
6 application type;

7 launching an editor corresponding to said application
8 type;

9 editing said data file using said editor;

10 upon closing said editor, importing said data file into

11 said place;

12 responsive to user selection at said user interface,

13 loading said data file from said place to said
14 browser;

15 launching said editor application; and

16 opening said data file in said editor application
17 for further editing at said browser.

1 6. [Currently amended] A method for creating ~~Microsoft~~
2 ~~Office~~ office documents from within a place in collaboration
3 space, comprising the steps of:

4 opening a user interface to said place at a browser;

5 operating said user interface to launch ~~a Microsoft~~
6 ~~Office~~ an office application;

7 using said office application to create said document;

8 upon closing said office application, loading said
9 document to said place.

1 7. [Currently amended] The method of claim 6, further
2 comprising the steps of:

3 responsive to user creation or edit of a place document
4 based on ~~Microsoft Office~~ said office application,
5 automatically launching said office application to
6 allow said user to edit said document using said office
7 application.

1 8. [Withdrawn] A method for preparing a custom theme for
2 a place in collaboration space, comprising the steps of:

3 opening an editor from within said collaboration space;

4 opening a theme source code file in said editor;

5 editing said theme source code file according to said
6 theme;

7 automatically upon saving said theme source code file
8 and exiting said editor, uploading changes to said
9 theme source code file to said collaboration space.

1 9. [Original] A method for creating documents from within
2 a place in collaboration space, comprising the steps of:

3 operating a browser at a client to display a user
4 interface to said place, said user interface including
5 a new selector;

6 responsive to user selection of said new selector,
7 displaying in said user interface a list of available
8 page types, said list including choices corresponding
9 to page editing applications installed on said client;

10 responsive to user selection of an editing application
11 from said list, displaying a new scene including an
12 upload control and a file icon representing the file
13 being created; and launching said editing application
14 in the foreground displaying said file as a new, empty
15 file;

16 responsive to said user closing said editing
17 application,

18 detecting that said file is no longer being edited
19 and bringing said user interface to said place to
20 the foreground;

21 converting said file to a hypertext file, and
22 displaying said file in said upload control;

23 responsive to said user publishing said file, uploading
24 to said server said file along with its equivalent
25 hypertext file.

26 at said server, attaching said file and said equivalent
27 hypertext file to the same place document

1 10. [Currently amended] The method of claim 9, further
2 comprising the step of attaching said file and said
3 equivalent hypertext file to a ~~same~~ Notes same document.

1 11. [Original] The method of claim 9, comprising the

2 further steps of generating said list using a hidden ActiveX
3 upload control downloaded to said client from a server, said
4 ActiveX upload control generating said list by listing only
5 those applications for which said upload control
6 successfully obtains a pointer to respective automation
7 server objects.

1 12. [Original] A method for editing a document from within
2 a place at a server in collaboration space, comprising the
3 steps of:

4 operating a browser at a client to display a user
5 interface to said place, said user interface including
6 an edit selector;

7 responsive to user selection of said edit selector,
8 displaying an edit scene including an upload control,
9 said upload control including a document icon
10 representing the document being edited, and launching
11 said editing application in the foreground displaying
12 said document;

13 responsive to said user closing said editing

14 application,

15 detecting that said document is no longer being
16 edited and bringing said user interface to said
17 place to the foreground;

18 converting said document to a hypertext file;

19 responsive to said user publishing said document,
20 uploading to said server said document along with its
21 equivalent hypertext file.

1 13. [Original] The method of claim 12, further comprising
2 the steps of:

3 saving said document to client storage as a web page
4 including the text of said document and formatting
5 information saved as tags together with support files;

6 said uploading step including locating in said client
7 storage and uploading said formatting information tags
8 and support files.

1 14. [Original] The method of claim 13, further including
2 the steps:

3 responsive to said user selecting said edit selector,
4 displaying said edit scene including indicia
5 representing said document and automatically launching
6 an application for editing said document displaying
7 said document in its original form;

8 responsive to said user making changes to and closing
9 said document, again uploading to said server said
10 document and all support files.

1 15. [Original] System for creating an application enabled
2 object in a place in collaboration space, comprising the
3 steps of:

4 a browser for displaying at a client a user interface
5 to said place, said user interface including an upload
6 control and an edit control;

7 an editor application for creating and editing a data
8 file;

9 a data storage for storing a data file;

10 an upload control responsive to receiving said data
11 file for transferring said data file to a server for
12 conversion and storage as said application enabled
13 object in said place.

1 16. [Original] The system of claim 15, further comprising:

2 said editor application creating said data file
3 independently of said place in collaboration space;

4 said user interface being responsive to user selection
5 of said edit control for loading said data file from
6 said place to said browser, launching said editor
7 application; and opening said data file in said editor
8 application for further editing at said browser.

1 17. [Currently amended] A system for editing ~~Microsoft~~
2 ~~Office~~ office documents from within a place in collaboration
3 space, comprising:

4 a client browser for presenting a user interface to
5 said place;

6 ~~a Microsoft Office~~ an office application for creating
7 said document;

8 an upload control, responsive to closing said
9 application, for loading said document to said place;

10 said user interface being responsive to user selection
11 of an edit operation for downloading said document from
12 said place and opening said document in said
13 application for editing.

1 18. [Original] A program storage device readable by a
2 machine, tangibly embodying a program of instructions
3 executable by a machine to perform method steps for creating
4 documents from within a place in collaboration space, said
5 method steps comprising:

6 operating a browser to display a user interface to said
7 place including an editor selection control;

8 from within said browser, upon user selection of said
9 editor selection control, automatically launching a
10 corresponding editor for editing said document; and

11 upon closing said corresponding editor, loading said
12 document to said place.

1 19. [Original] A program storage device readable by a
2 machine, tangibly embodying a program of instructions
3 executable by a machine to perform method steps for creating
4 an application enabled object in a place in collaboration
5 space, said method steps comprising:

6 providing at a browser a user interface to said place,
7 said user interface including an upload control;

8 executing round trip editing to prepare a data file;

9 loading said data file to said upload control; and

10 upon loading said data file to said upload control,
11 transferring said data file to a server for conversion
12 and storage as said application enabled object in said

13 place.

1 20. [Original] A program storage device readable by a
2 machine, tangibly embodying a program of instructions
3 executable by a machine to perform method steps for creating
4 documents from within a place in collaboration space, said
5 method steps comprising:

6 operating a browser at a client to display a user
7 interface to said place, said user interface including
8 a new selector;

9 responsive to user selection of said new selector,
10 displaying in said user interface a list of available
11 page types, said list including choices corresponding
12 to page editing applications installed on said client;

13 responsive to user selection of an editing application
14 from said list, displaying a new scene including an
15 upload control and a file icon representing the file
16 being created; and launching said editing application
17 in the foreground displaying said file as a new, empty
18 file;

19 responsive to said user closing said editing
20 application,

21 detecting that said file is no longer being edited
22 and bringing said user interface to said place to
23 the foreground;

24 converting said file to a hypertext file, and
25 displaying said file in said upload control;

26 responsive to said user publishing said file, uploading
27 to said server said file along with its equivalent
28 hypertext file.

29 at said server, attaching said file and said equivalent
30 hypertext file to the same place document

1 21. [Original] A program storage device readable by a
2 machine, tangibly embodying a program of instructions
3 executable by a machine to perform method steps editing a
4 document from within a place at a server in collaboration
5 space, said method steps comprising:

6 operating a browser at a client to display a user
7 interface to said place, said user interface including
8 an edit selector;

9 responsive to user selection of said edit selector,
10 displaying an edit scene including an upload control,
11 said upload control including a document icon
12 representing the document being edited, and launching
13 said editing application in the foreground displaying
14 said document;

15 responsive to said user closing said editing
16 application,

17 detecting that said document is no longer being
18 edited and bringing said user interface to said
19 place to the foreground;

20 converting said document to a hypertext file;

21 responsive to said user publishing said document,
22 uploading to said server said document along with its
23 equivalent hypertext file;

24 saving said document to client storage as a web page
25 including the text of said document and formatting
26 information saved as tags together with support files;

27 said uploading step including locating in said client
28 storage and uploading said formatting information tags
29 and support files;

30 responsive to said user selecting said edit selector,
31 displaying said edit scene including indicia
32 representing said document and automatically launching
33 an application for editing said document displaying
34 said document in its original form; and

35 responsive to said user making changes to and closing
36 said document, again uploading to said server said
37 document and all support files.

1 22. [Original] A computer program product or computer
2 program element for creating documents from within a place
3 in collaboration space according to the steps comprising:

4 operating a browser to display a user interface to said

5 place including an editor selection control;

6 from within said browser, upon user selection of said

7 editor selection control, automatically launching a

8 corresponding editor for editing said document; and

9 upon closing said corresponding editor, loading said

10 document to said place.